

# Manfrotto®

The ultimate adjustable lighting pole system can be used to create a background support, structure a lighting grid, or for hundreds of other studio applications. Its unique single action cantilever locking system exerts the correct amount of pressure to assure a secure fit, wedging the protective rubber ends in place wall to wall or ceiling to floor. The cantilever system incorporates a safety lock to prevent accidental de-tensioning or movement.



## The Autopole® - The original adjustable lighting pole system.

- Unique cantilever single action locking system exerts pressure to securely wedge the rubber suction cup ends in place.
- Cantilever system incorporates safety lock.
- Floor to ceiling, or wall to wall fixing for strong vertical or horizontal support of lighting.
- Three versions, up to 370cm metres plus optional extensions available.

### 032SPL

#### AUTOPOLE® SPIRIT LEVEL

Spirit level for use on Autopole®, or on tubes of 25mm to 60mm diameter.



### 032PC

#### AUTOPOLE® PROTECTION CAPS

Set of four protection caps for rubber feet with inner hole. Ø: 16.5mm. Suitable for use with all Autopoles except Midi Autopole® 332 and Mini Pole 170.



### 032

B

#### AUTOPOLE®

2.2kg

Extends from 210cm to 370cm.  
Pole Ø: 45mm and 40mm.

### 076

B

#### AUTOPOLE®

1.83kg

Extends from 150cm to 270cm.  
Pole Ø: 45mm and 40mm.

### 077

B

#### AUTOPOLE®

1.5kg

Extends from 100cm to 170cm.  
Pole Ø: 45mm and 40mm.

### 432-3.7

B

#### AUTOPOLE2®

2.6kg

Two position variable thrust.  
Extends from 210cm to 370cm.  
Pole Ø: 45mm and 40mm.  
PATENTED

### 432-2.7

B

#### AUTOPOLE2®

2.23kg

Two position variable thrust.  
Extends from 150cm to 270cm.  
Pole Ø: 45mm and 40mm.  
PATENTED

### 432-1.7

B

#### AUTOPOLE2®

1.9kg

Two position variable thrust.  
Extends from 100cm to 170cm.  
Pole Ø: 45mm and 40mm.  
PATENTED



Autopole2® locking system with 2 setting for thrust tension.

# Autopole System

## 332-3.7

### MINI AUTOPOLE®

 1.38kg

Extends from 210cm to 370cm.  
Pole Ø: 35mm and 32mm.

## 332-2.7

### MINI AUTOPOLE®

 1.13kg

Extends from 150cm to 270cm.  
Pole Ø: 35mm and 32mm.

## 332-1.7

### MINI AUTOPOLE®

 0.85kg

Extends from 100cm to 170cm.  
Pole Ø: 35mm and 32mm.

## 032BASE

### AUTOPOLE® BASE

 86cm

 126cm

 1.2kg

For tubes: Ø 45mm.  
Legs Ø: 22mm.

## 170BASE

### MINI POLE BASE

 62cm

 106cm

 0.67kg

For tubes Ø: 28mm.  
Legs Ø: 22mm.

## 170

### MINI POLE

 0.87kg

Spring loaded mini pole.  
Extends from 175cm to 330cm.  
Post Ø: 25mm and 28mm.

## 033

### EXTENSION TUBE

 0.69kg

Autopole® Extension tube.  
Ø: 40mm.  
Length: 2m.  
Suitable for Autopole2® and Autopole®.

## 034

### EXTENSION TUBE

 0.53kg

Autopole® Extension tube.  
Ø: 40mm.  
Length: 1.5m.  
Suitable for Autopole2® and Autopole®.